

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 61-188495

(43)Date of publication of application : 22.08.1986

(51)Int.Cl.

C10M111/04
// (C10M111/04
C10M107:02
C10M107:08
C10M105:34)
C10N 40:04

(21)Application number : 60-027832

(71)Applicant : TOA NENRYO KOGYO KK

(22)Date of filing : 15.02.1985


(72)Inventor : YOSHIMURA SHIGEHICO
TOKASHIKI MICHIHIDE
ISHII HIROO

(54) SYNTHETIC LUBRICATING FLUID

(57)Abstract:

PURPOSE: To obtain a synthetic lubricating having an excellent traction coefficient for a power transmission gear, by incorporating a poly(α -olefin) having a branched chain to a specific synthetic naphthenic ester.

CONSTITUTION: A synthetic lubricant comprising a cyclohexanol cyclohexanecarboxylate of the formula (wherein R1, R2 and R3 are each H or a 1W8C alkyl) or its derivative and, incorporated therein, 1W70pts.wt., preferably 10W50pts.wt. poly(α -olefin) having a branched chain. The ester can be prepared by reacting cyclohexane-carboxylic acid or its derivative with an excess amount of cyclohexanol or its derivative in the presence of a catalyst such as phosphoric acid while blowing an inert gas such as nitrogen. Particularly preferred poly(α -olefin) is polyisobutylene and its hydrogenated product, and the molecular weight is preferably 500W10,000.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C): 1998,2003 Japan Patent Office